

# PUBLIC AUCTION

## METAL FORMING COMPONENT MFG.

- WIRE FORMING MACHINERY •
- THREAD ROLLERS • SCREW SLOTTERS • HEADERS •
- EDM MACHINES • SCREW MACHINES • SHAVERS •
- GRINDERS • MILLERS • LATHES • SAWS • PRESSES •
- HEAD LABELING & PACKAGING MACHINES •
- COMPARATORS • TOOLING • PLANT SUPPORT EQUIPMENT •

ASSETS NO LONGER REQUIRED IN THE CONTINUING OPERATIONS OF



IDEAL PRODUCTS, INC.  
158 PINES BRIDGE ROAD  
BEACON FALLS, CONNECTICUT

TO BE SOLD ON THE PREMISES AND BY LIVE INTERNET BIDDING

**THURSDAY, APRIL 27<sup>TH</sup> AT 10:30 A.M.**

**INSPECTION: WEDNESDAY, APRIL 26<sup>TH</sup> – 10:00 A.M. TO 4:00 P.M.  
& MORNING OF SALE – 8:30 A.M TO 10:30 A.M.**



*MITSUBISHI WC90SB WIRE EDM MACHINE*

Visit our Website @ [www.posnik.com](http://www.posnik.com)

**Aaron Posnik**

**AUCTIONEERS • APPRAISERS**

Aaron Posnik & Co., Inc.  
83 State Street • Springfield, MA 01103  
(413) 733-5238 (Fax) 731-5946

MA Auc. Lic. #161 • Est. 1932 • PA Auc. Lic. #AU-0038-R

Aaron Posnik & Co., Inc.  
5 Great Valley Parkway, Suite 244 • Malvern, (Philadelphia) PA 19003  
(610) 853-6655 (Fax) 583-6633

# THURSDAY, APRIL 27<sup>TH</sup>



**IDEAL PRODUCTS, INC.**  
158 PINES BRIDGE ROAD  
BEACON FALLS, CONNECTICUT

TO BE SOLD ON THE PREMISES AND BY LIVE INTERNET BIDDING  
**THURSDAY, APRIL 27<sup>TH</sup> AT 10:30 A.M.**

**INSPECTION:** WEDNESDAY, APRIL 26<sup>TH</sup> – 10:00 A.M. TO 4:00 P.M.  
& MORNING OF SALE – 8:30 A.M. TO 10:30 A.M.

**AIRPORTS:**

**TWEED NEW HAVEN AIRPORT (HVN)** – APPROX. 23 MILES TO SITE  
EAST HAVEN, CT, TEL# 203-466-8833

**BRADLEY INTERNATIONAL AIRPORT (BDL)** – APPROX. 55 MILES TO SITE  
WINDSOR LOCKS, CT - 1-860-235-6426

**DIRECTIONS:**

**FROM TWEED NEW HAVEN AIRPORT** – START OUT GOING NORTHEAST ON BURR ST TOWARD FORT HALE RD. APPROX. <0.1 MILES. TURN LEFT ONTO FORT HALE RD. APPROX. 0.3 MILES. TURN RIGHT ONTO CT-337 / TOWNSEND AVE. APPROX. 1.1 MILES. TURN LEFT ONTO MAIN ST. APPROX. 0.1 MILES. MERGE ONTO GOVERNOR JOHN DAVIS LODGE TURNPIKE / I-95 S. APPROX. 1.5 MILES. MERGE ONTO CT-34 W VIA EXIT 47 TOWARD DOWNTOWN / NEW HAVEN. APPROX. 2.4 MILES. TURN LEFT ONTO CT-34 W / DERBY AVE. CONTINUE TO FOLLOW CT-34 W. APPROX. 7.7 MILES. MERGE ONTO CT-8 N TOWARD WATERBURY. APPROX. 8.0 MILES. TAKE THE CT-42 EXIT- EXIT 23- TOWARD BEACON FALLS / OXFORD. APPROX. 0.3 MILES. TURN LEFT ONTO CT-42 S / S MAIN ST. CONTINUE TO FOLLOW CT-42 S. APPROX. 0.8 MILES. (WATCH FOR AUCTION SIGNS).

**FROM BRADLEY INT'L AIRPORT** – TAKE I-91 S TOWARD HARTFORD. APPROX. 9.4 MILES. MERGE ONTO I-84 W VIA EXIT 32A TOWARD WATERBURY. APPROX. 30.4 MILES. MERGE ONTO CT-8 S VIA EXIT 19 ON THE LEFT TOWARD NAUGATUCK / BRIDGEPORT. APPROX. 7.8 MILES. TAKE EXIT 24 TOWARD CT-42 / BEACON FALLS / OXFORD. APPROX. 0.4 MILES. TURN RIGHT ONTO N MAIN ST. APPROX. 1.2 MILES. N MAIN ST BECOMES CT-42 S. APPROX. 0.8 MILES. (WATCH FOR AUCTION SIGNS).

**LODGING:**

**HAMPTON INN** – 77 CHASE PARKWAY, WATERBURY, CT 203-753-1777

**COURTYARD** – 63 GRAND STREET, WATERBURY, CT 800-321-2211

**HOLIDAY INN EXPRESS** – 88 UNION STREET, WATERBURY, CT 866-270-5110

**TERMS & CONDITIONS:**

**EVERYTHING SOLD "AS IS/WHERE IS"**

**TERMS OF SALE:**

25% DEPOSIT AT TIME OF SALE BY CASH OR CERTIFIED OR BANK WIRE TRANSFER. 10% BUYERS PREMIUM APPLIES ON ALL ONSITE PURCHASES. 13% BUYERS PREMIUM APPLIES ON ALL INTERNET PURCHASES. PERSONAL OR COMPANY CHECK ACCEPTED ONLY IF ACCOMPANIED WITH A BANK LETTER GUARANTEEING PAYMENT. EXAMPLE OF BANK LETTER OF GUARANTEE: THIS BANK GUARANTEES PAYMENT TO AARON POSNIK & CO., INC. ON ACCOUNT # \_\_\_\_\_ UP TO THE AMOUNT OF \$ \_\_\_\_\_ FOR PURCHASES MADE AT THE IDEAL PRODUCTS, INC. AUCTION TO BE HELD ON APRIL 27<sup>TH</sup>. NO PURCHASE REMOVED UNTIL COMPLETE SETTLEMENT IS MADE. OTHER TERMS TO BE ANNOUNCED AT TIME OF SALE.

**SALES TAX:**

CONNECTICUT SALES TAX LAWS APPLY. DEALERS BRING COPY OF EXEMPT CERTIFICATE.

**BID LIVE BY PHONE:**

CALL US BY APRIL 26<sup>TH</sup> TO SET UP THE DETAILS.

**BID BY LIVE INTERNET:**

VISIT OUR WEBSITE AT [WWW.POSNIKLIVE.COM](http://WWW.POSNIKLIVE.COM) FOR INSTRUCTIONS ON BIDDING ONLINE.

**BID BY MAIL:**

IF YOU CANNOT ATTEND THIS AUCTION IN PERSON WE WILL BE HAPPY TO RECEIVE YOUR BID ON THE ITEMS THAT YOU DESIGNATE (IF YOUR BID IS SENT BY MAIL OR FAX AND RECEIVED BY OUR OFFICE AT LEAST 24 HOURS PRIOR TO THE COMMENCEMENT OF THE SALE). IF YOU WISH TO BID BY MAIL, KINDLY PROVIDE A COMPLETE LIST OF THE ITEMS DESIRED AND ENCLOSE A 25% DEPOSIT BY CERTIFIED CHECK. YOU WILL BE RESPONSIBLE FOR PURCHASES IF YOU ARE THE HIGH BIDDER, UNDER THE TERMS AND CONDITIONS TO BE ANNOUNCED AT TIME OF SALE. IF YOU ARE THE SUCCESSFUL BIDDER, WE WILL NOTIFY YOU WITHIN 24 HOURS OF THE SALE AND YOU MUST MAKE PAYMENT OF THE BALANCE DUE BY WIRE TRANSFER TO OUR BANK WITHIN 24 HOURS OF NOTIFICATION. IF YOU ARE UNSUCCESSFUL IN YOUR BID, YOUR DEPOSIT WILL BE RETURNED TO YOU WITHIN 72 HOURS OF THE SALE.

**IMPORTANT NOTICE:**

THE INFORMATION DESCRIBED IN THIS BROCHURE IS CORRECT TO THE BEST OF OUR KNOWLEDGE BUT WE CANNOT GUARANTEE SAME. IT IS FOR THIS REASON THAT BUYERS SHOULD AVAIL THEMSELVES OF THE OPPORTUNITY FOR INSPECTION PRIOR TO THE SALE.



PRATT & WHITNEY TAPE-CUT W-3 WIRE EDM



BODOLAY-PRATT HEAD LABELER & PACKAGING SYSTEM



BODOLAY-PRATT HEAD LABELER

## VERTISLIDE WIRE FORMERS



RHEINISCHE DBA 4/500



TORRINGTON V-82



## 4-SLIDE WIRE FORMERS



U.S. BAIRD #5



S-3F NILSON



S-4 NILSON

## WIRE FORMING MACHINES

### FOUR SLIDES

- #5 U.S. Baird 4-Slide, S/N 51-1440-46, w/ 1 Vert. Motion, Stock Check, Cutoff, Straightener, Enclosed Gears, 5 H.P., Vari-Drive •
- #4 Nilson 4-Slide, S/N 43168, w/ 1 Vert. Motion, Stock Check, Cutoff, Straightener, US Vari-Drive Motor, Enclosed Gears •
- #4 Nilson 4-Slide, S/N 74200, 1 Vert. Motion, Double Feed Mach., w/Weldtronic Welder, Enclosed Gears, (2) Straighteners, Motor & Controls •
- #4 Nilson 4-Slide, S/N 86790, 1 Vert. Motion, Double Feed Mach., w/Weldtronic Welder, Enclosed Gears, (2) Straighteners, Motor & Controls •
- #4 Nilson 4-Slide, S/N 69810, 1 Vert. Motion, Double Feed Mach., w/Weldtronic Welder, Enclosed Gears, (2) Straighteners, Motor & Controls •
- S-3-F Nilson 4-Slide, S/N S-3-F-13067, Stock Check, Cutoff, Press Head, 1 Vert. Motion, Straightener, Clarktron Rimfire 3 Controls, Enclosed Gears, 3 H.P., 220/440/3/60 •
  - #3 U.S. Baird 4-Slide, Stock Check, Cutoff, 1 Vert. Motion, Straightener, Open Gears, Motor & Controls •
- S-1-F Nilson 4-Slide, S/N 69100, Stock Check, Press Head, Enclosed Gears, Cutoff, Straightener, Vari-Drive Motor, 2 Vert. Motions •
- S-1-F Nilson 4-Slide, S/N 68600, Air Clutch, Enclosed Gears, Stock Check, Cutoff, Straightener, 1 Vert. Motion, Press Head w/ Tie Rods •
- S-2-F Nilson 4-Slide, S/N 64840, Stock Check, Cutoff, Straightener, 2 Vert. Motions, Enclosed Gears, US Vari-Drive •
- #752 Nilson 4-Slide, S/N 89752, Elec. Clutch, 1 Vert. Motion, Stock Check, 2 Press Heads w/ Tie Rods, Cutoff, Straightener, Reeves Vari-Drive •
  - #752 Nilson 4-Slide, S/N 90652, Elec. Clutch, 1 Vert. Motion, 2 Press Heads w/ Tie Rods, Straightener, Reeves Vari-Drive •
  - (2) #2 Size Homemade Dbl. Feed 4-Slides, 2 Vert. Motions, Robotran Welders on Common Base, Vari-Drive Motors •

**Note: All Multi Slides have Enclosed Gears, Split Cams & Split Cams w/ Inserts!**

- Large Qty. of Split Cams, Slides, Kingpost, Overarm Supports, Bolsters, Press Heads, Lifter Arms, Straighteners, 2-Plain, Flat Stock, Formlifter's, Etc., for Multi Slides & Four Slides •

### MULTI SLIDES

- #33 U.S. Tool Symmetrical Multi Slide, S/N 33-393 Kingpost, 2 Press Heads, Front & Rear Cutoffs, Straightener, 1 Support, 2 Bolsters, Enclosed Gears, 5 H.P. Vari-Drive, Gordon Proxagard •
- #33 U.S. Tool Symmetrical Multi Slide, S/N 33-332, Kingpost, 2 Press Heads, 1 Bolster, Stock Check, Straightener, Clarktron Controls, Vari-Speed, Front & Rear Cutoffs •
- #33 U.S. Tool Symmetrical Multi Slide, Kingpost, 2 Press Heads, Front & Rear Cutoffs, 1 Bolster, Straightener, Gordon Proxagard, U.S. Vari-Drive Motor •
- #33 U.S. Tool Symmetrical Multi Slide, S/N 33-528, Kingpost, Front & Rear Stock Checks & Cutoffs, 1 Press Head, Straightener, Gordon Proxagard, Vari-Drive Motor •
- #33 U.S. Tool Symmetrical Multi Slide, S/N 33-447, Front & Rear Stock Checks & Cutoffs, 1 Press Head w/ Bolster, Straightener, (1) Motoren Threading Head, (2) Weber Drill Heads •
- #33 U.S. Tool Symmetrical Multi Slide, S/N 33-561, Front & Rear Stock Checks & Cutoffs, 1 Press Head, Straightener, (1) Motoren Air Head, (3) Weber Pneu. Drill Heads, Vari-Drive Motor •
- #33 U.S. Tool Non-Symmetrical Multi Slide, S/N 53-84281, Air Clutch, Kingpost, Front Stock Check, 1 Press Head & 1 Bolster, Front & Rear Cutoffs, Straightener, (2) ARO Air Tapping Heads, (1) Overarm Support, Vari-Drive Motor •
- #28 U.S. Tool Symmetrical Multi Slide, S/N 28-532, Kingpost, Front Stock Check, 1 Press Head, 1 Bolster, Rear Cutoff, Straightener, Clarktron Rimfire 3 Safety, Vari-Drive Motor •
- #28 U.S. Baird Symmetrical Multi Slide, S/N 28-855, Air Clutch, Kingpost, Front & Rear Stock Checks & Cutoffs, 1 Press Head, 1 Bolster, Straightener, Clarktron Rimfire 3 Safety, Vari-Drive Motor •

### VERTISLIDE WIRE FORMERS

- OMC Vertical Auto. Threading & Bending Mach. #M29, S/N 22057 w/Straightener, Split & Insert Cams Control Console, 24" Feed, 0.315 Max Wire Dia: Vari-Sp. w/ Threading Attach., 7.5 KW (1987 Mint) •
  - Torrington V-82 Vertislide, S/N 114383FS, Strip Width: 2.5" Max; Strip Thickness: .062" Max; Wire Size: .027" Max; Feed Length: 12" Max; 40-200 PPM, w/ 2 Press Heads, 1 Bolster, Overarm Support, Stock Check, Cutoff, ARO Lead Screw Vert. Mounted Tapper, Straightener, Control Console, Elec. Safety Bar, Motorized Conveyor, Split Cams •
- Rheinische Maschine Fabrik Vertislide, Type DBA 4/500, S/N 4104918, 4KW Motor, 0-300 PPM, Vari-Drive, (5) Vert. Slides, (2) Horiz. Slides, (2) 45° Cutoff Slides, Straightener, Push Button Controls, Approx. 3/16" Wire Dia. •

## MULTISLIDE WIRE FORMERS



U.S. BAIRD #28



U.S. TOOL #33



U.S. TOOL #33

**Aaron Posnik**

AUCTIONEERS • APPRAISERS

# STARTING AT 10:30 A.M.

## THREAD ROLLERS



WATERBURY FARRELL #30



HARTFORD 312M



HARTFORD 4-600



HARTFORD 2-450



NATIONAL 25HS

### THREAD ROLLERS

- #4-600 Hartford Thread Roller, 0-600 RPM, Coolant, Push Button Controls, 7.5 H.P., Vari-Drive, Air Controls (Rebuilt 1995) •
- #10-400 Hartford Thread Roller, S/N 35-356/6, Auto Lube, 15 H.P., Vari-Drive, Push Button Controls •
- Hartford Horizontal #312M Thread Roller, S/N 179-32, Vari-Sp. Motor, Push Button Controls, Coolant •
- Hartford #0-400R, S/N 4-544-37, Vari-Sp., Auto Lube, Coolant •
- #30 Waterbury Farrell Inclined Thread Roller, S/N 33979-463, Auto Lube, 20 H.P. Motor •
- #20 Waterbury Inclined Thread Roller, S/N 5-188, 10 H.P., Auto Lube, Vibratory Feeder •
- #10 Waterbury Farrell Rotary Die Threader, S/N 171780-11, Max Cap: 1/2" Dia.; Min Cap: 6 Size Screw; Max Screw Length: 2"; Max Thread Length: 2"; Vari-Sp. Drive •
- #10 Waterbury Farrell Inclined Thread Roller Parts Machines, Motor & Controls •
- Warren Threader, M/N WT-1000, S/N 128310-5, Vari-Sp., Pendant Controls •

### SCREW SLOTTERS

- Illinois Tool Works, M/N 3220-3 Screw Slotter, S/N 8708, Vari-Sp., Vibratory Parts Feeder •
- Warren Screw Slotter, M/N WS-500, S/N 127790, Vari Saw & Hopper Controls, w/ Vibratory Bowl •

### HEADERS

- National 3/16" Header, S/N 36662, 7.5 H.P., Auto Lube, Push Button Controls •
- National 3/16" Header, S/N 36204, 7.5 H.P., Auto Lube, Push Button Controls •
- National #25HS Dbl. Stroke Solid Die Header, S/N 41070, 5 H.P., Auto Lube, Push Button Controls •
- National #25HS Dbl. Stroke Solid Die Header, S/N 30470, 5 H.P., Auto Lube •
- (2) Hartford 1/8" Dbl. Stroke Solid Die Cold Headers, M/N 2-450, S/N's 5200-165-9 & 5200-157-9, 7.5 H.P., Control Panel w/ Straighteners •
- #0 1/8" Waterbury Farrell S.S.D. Die Header S/N 86534-750; 1/2 H.P. Synchogear Drive Motor, Straightener, Push Button Controls •

### RIVETERS

- (7) Milford #LDD Horizontal Riveting Machines, Vari-Drive Motors, (3) w/ Vibratory Feeds •
- Milford Vert. Air Operated Rivet Machine, w/ Adj. Anvil •
- Milford Vert. Foot Operated Rivet Machine, Adj. Arm Height •

### SHAVERS

- (4) Townsend #2 Shavers, 1/2" Blank Dia., 3" Blank Length, w/ Vibratory Bowl, A/C Motor & Controls •

### AUTOMATIC SCREW MACHINES

- Brown & Sharp #26 Automatic Screw Mach., 1 1/2" Cap, S/N 12474, Double Chain Drive, Front & Rear Tool Posts, 1 Vert. Slide w/Feed & Change Gears •
- (2) Brown & Sharp #00G Auto Screw Machines, 1/2" Cap, S/N 16365 & 16363 Dbl. Belt Machines w/ Bar Feed, Vert. Slide, Front & Rear Tool Posts & Gears •
- (4) Traub A25 Swiss Screw Machines •

### EDM MACHINES

- Mitsubishi DWC905B Wire EDM, S/N 0295B331, w/Mitsubishi Control & CRT w/ Tank, Filters, Cooler, w/Greed Mini File Plus-SS2 Transformer, Pendant Controller, Leveling Pads; 9.5"X, 11.5"Y, 6.5"Z Axis (New 1992) •
- Pratt & Whitney Fanuc Tape Cut-W-3 Wire EDM, S/N 8179 w/Fanuc Type A04B -0246-B003, Control w/CRT (1989) w/Tank, Cooler, Spool Pan, U-V Axis Head, Fanuc Pendant Controller, Misc. Accessories, Manuals, Leveling Pads; 29.5"X; 13.8"Y; 9.85"Z Axis Travels •
- New EDM Wire Spools, Tooling, Resin Tanks, Filters, Etc. •

### DRILL

- Clausing 20" H.D. Floor Drill, Vari-Sp., M/N 2277, S/N 528083, 18" x 16" Table, 6" Quill Travel 3MT, 150-2000 RPM, 1/2" / .75 H.P., 460V •

### COMPARATORS

- Jones & Lamson 14" Optical Comparator, FC-14, S/N F15759, Novalite Projector, Surface Illumination, Power Elevation, 20X Lens, 6" x 30" Table, 115V, 1 Ph., 60 HZ •
- Clausing Covel 14" Optical Comparator, M/N 4304, S/N 148-4037, 6" x 13" Table w/ Lens, 115V •
- Lertz Watzler 19 1/2" x 19 1/2" Optical Comparator, S/N 836225, 10X Lens, 115V •

### SURFACE GRINDERS

- Parker Majestic 6" x 18" Hand Feed Surface Grinder, S/N SCV-2672-71, 1 H.P., w/ Power Elev. •
- Norton 8" x 24" Hyd. Surface Grinder, 2 Axis, S/N 811, w/8" x 24" Perm. Mag. Chuck, Coolant & Pump, 230/460V, 2 H.P. •
- DoAll 6" x 18", 2-Axis Hyd. Surface Grinder, #G-1, S/N GI-51864, 1 H.P. •
- (2) Brown & Sharp 618 Micromaster 2 Axis Hyd. Surface Grinders w/6" x 18" Perm. Mag. Chucks, S/N's 523-181-5895 & 523-6181-2286 •
- Boyer Schultz H612 Challenger Hand Feed Grinder, S/N 22456, Elec. Lube, 6" x 12" Perm. Mag. Chuck, 1 H.P., 1 Shot Lube •
- Reid-Rollerway 6" x 18" Precision Hand Feed Surface Grinder, S/N 17818, 6" x 18" Perm. Mag. Chuck, 1 H.P., 1 Shot Lube •
- DoAll 2 Axis Hyd. Surface Grinder 6" x 18", M/N G618-7, S/N 213-70615, 1 H.P., Auto Lube, 618 Fine Line P.M. Chuck •
- Clausing Covel 6" x 12" Hand Surface Grinder, M/N 7B, S/N 7B-7331, 6" x 12" Perm. Mag. Chuck, 1 H.P. •

## HEADERS

### MISC. GRINDERS

- Hamco Machines #B Blade Grinder, S/N 1021, 115V •
- Hammond 6" #600-W Abrasive Belt Grinder, S/N 1339, 1/2 H.P., 230V w/ Tilt Table •
- Wiley Tool 6" S.E. Diamond Wheel Grinder w/Tilt Table, 1/8 H.P., 220V •
- Rockwell 6" Double End Carbide Grinder, 1/2 H.P., 1 Ph., #23-506, Tilt Tables, Fwd/Rev •
- Baldor 6" H.D. Half Bearing Double End Grinder, Cat #T12, S/N F978, 115V, 1/2 H.P. •
- Stanley 8" Double End Grinder #288A, 1/2 H.P., 3 Ph., 220V, Tilt Table •
- Porter Cable 6" Vert. Belt Grinder, 1 H.P., 220V, Tilt Table •
- Setco Type 10SBAP, M/N 100, Double End Buffer, 1 H.P., 220/3/60 •
- Rockwell Combo 12" Disc & 6" Belt Grinder #31-710, 220/440/3/60 Motor •
- Solid 8" Double End H.D. Grinder, Type DS3GD, S/N 101408, w/ Sliding Tables & Micrometer Dials, Coolant •
- Wilton #4200 Combo 12" Disc & 6" Belt Sander, 115V •

### CENTERLESS GRINDERS

- Cincinnati #1 Centerless Grinder, S/N 1M4H5F-17, Hyd. Horiz. & Vert. Dressers, 4" Wide Wheels w/ Auto. Cycle Selector, Work Lite, 220V •
- Cincinnati #2 Centerless Grinder, S/N 2M2H2T-66, Hyd. Dressers, Work Lite •
- Cincinnati #2 Centerless Grinder, S/N 2M2H1V-12, Hyd. Dressers, w/ Auto Thru Feed, Cycle Controls, 480V, Work Lite •
- Good Qty. Ass't. New Grinding Wheels, Blades, Wheel Balancers, Wrenches & Centerless Grinder Manuals •

### INTERNAL GRINDER

- Overbeck #ZET030, S/N 1646, Internal Grinder, 45°, Swivel Work Head Motorized w/ 6 Jaw Chuck, Hi-Speed Internal Grinding Head, Hand Feed, Push Button Controls, 220V/3/60 •

### CYLINDRICAL GRINDERS

- Cincinnati R-58 Plain Hyd. Cylindrical Grinder, 10" x 16" CC, S/N 27542, Motorized Work Head, 12" Grinding Wheel, 56-500 RPM, Auto In-Feed, Spring Loaded Tool Stock, Misc. Tooling, Coolant, Work Lite, 2-240 RPM, Traverse Speed •
- Grenby Cylindrical Grinder, 1/2 H.P. Grinding Head, Motorized Work Head, Coolant •

### HONE MACHINES

- Superior SS-2 Horiz. Hone, S/N S-93-8605, SpdL. Speeds: 220-1750 RPM; Dia. At 150 FPM 11/32" - 3" w/ Coolant, 115V, 1 Ph., 60 Hz. •
- Sunnen #M8B-1600-MS Horiz. Hone, S/N 41804, 1/2 H.P., 220/440/3/60 Motor •
- Good Qty. Sunnen & Superior Hone Tooling •

## ATTEND N BUY N SAVE

## BRIDGEPORT MILLERS



SERIES II SPECIAL



SERIES I



J HEAD



CINCINNATI CYLINDRICAL R58



OVERBECK ZETTO #30

## GRINDERS



# 158 PINESBRIDGE ROAD, BEACON FALLS, CONNECTICUT

## CINCINNATI CENTERLESS GRINDERS



#2



#1

## JENSEN WASHER



JENSEN JEN-FAB

## SUNNEN HONE



MBB-1600

## PARTIAL VIEW OF CAMS



### LATHES

- **South Bend 17" x 40" Gear Head Lathe**, #400, S/N 020375, 5 Sp., 59-1400 RPM, 2 1/8" Spdl. Hole, Inch & Metric Threading, 8 Position Stops, Steady Rest, Thread Dial, Foot Brake Pedal, D-1-6 Camlock Spdl, Positive Stops, Splash Guard Coolant, Work Lite, Hand Lever 5C Drawbar, Leveling Pads, 10"- 3 Jaw Chuck w/ Key, 460V, 3/60 HZ
- **Hardinge 11" x 18" Precision Tool Room Lathe**, HLV-H, S/N HLV-H-9042-1, Spdl Speeds, 125-3000 RPM, Push Button Control, Coolant, 6 1/2" Wide Dovetail Bed Brake, 1 1/2 H.P., 230V/3/60
- **Hardinge HC Chuckler**, S/N HC-4929-7, Spdl. Speeds: 125-3000 RPM, Brake, 3 Speed Ranges, 5C Quirk Acting Collet Closer, 8 Position Stop, 8 Position Turret, Motorized Carriage, Splash Guard, Work Lite, 6 1/2" Wide Dovetail Bed, Coolant, 1.5 H.P., 230V
- **Hardinge DV-59 Secondary Lathe**, S/N 59-8243, Quick Acting 5C Collet Closer, Dovetail Bed, Spdl. Speeds, 230-3500 RPM, Push Button Control, Tailstock, Splash Guard, Work Lite, 1 H.P., 440V
- **Hardinge DV-59 Secondary Lathe**, Lever Actuated Hi-Low Speeds, 5C Quick Acting Collet Closer, Dovetail Bed, Brake Work Lite, 1 H.P., 220V, w/ 6 Position Turret, S/N DV59-1690-1
- **Hardinge DV-59 Secondary Turret Lathe**, 230-3500 RPM Spdl. Speeds, Push Button Operated, 5C Quick Collet Closer Brake, Dovetail Bed, S/N DV-59-9052
- **Hardinge DV-59 Secondary Lathe**, w/ Tailstock, Spdl. Speeds: 230-3500 RPM, Push Button Operated, 5C Quick Acting Collet Closer, Dovetail Bed, Brake, Work Lite, 1 H.P., 220V, S/N 59-4980-3
- **Feeler (Hardinge Type) Secondary Lathe**, S/N 8FT07, M/N FTS-27, Spdl Speeds: 230-3500 RPM, 5C Quick Acting Collet Closer, Dovetail Bed, Coolant, Work Lite, 1/2 H.P., 220V
- **Hardinge HSL-5C Speed Lathe**, S/N HSL-5C-4213, 5C Quick Acting Collet Closer, Dovetail Bed, 3 Spdl. Speeds, 750-300 RPM, 1/2 H.P., 220/440/3/60 Motor
- **South Bend 10" x 24" CC, Model A Bench Top Lathe**, S/N BK200NGK, Cat# CL670Z, 3' Bed Length, Belt Change, Threading, Fwd & Rev, 6K Collet Hand Wheel Collet Closer, Tool Post, Work Lite, 220/440/3/60 HZ
- **Warner & Swasey 2MC Universal Turret Lathe**, S/N 2478330, Lot 5, M/N 2650, Spdl. Speeds: 50-3000 RPM, 12 Feeds, Coolant, Brake Bar Feed & Stands, Rear Tool Post, 4 Way Tool Post, 6 Position Turret, Work Lite, Hyd. Collet Closer, 220V/3/60 HZ
- (2) **Schauer Bench Top Speed Lathes**, Type: NAIEL, Fwd. & Rev., 220V

### SAWS

- **DoAll 16" Vertical Bandsaw**, S/N 79-58187 w/ Welder, Grinder, Cutoff Attach., 2 Sp. 50-5200 RPM
- **Everett Hand Cutoff Saw**, 8" Dia. w/ Vise, 3 H.P., 220/440/3/60, w/ Built on Dust Collector
- **Everett Cutoff Saw**, 8" Wheel Vise, 3 H.P., 220/440V

### MILLING MACHINES

- **Bridgeport Series II Special Vert. Miller**, S/N 6818S, 11" x 58" Table, BPT. Power Feed, Chrome Ways, Air or Manual Operated Knee, 2 H.P., 230/460/3/60 Vari-Sp. Head, 60-4200 RPM Spdl. Speeds, 2 Work Lites, 1 Shot Lube
- **Bridgeport Series I Vert. Miller**, S/N 213568, Chrome Ways, 9" x 42" Table, 2 H.P., 230/460/3/60, Spdl. Speeds: 60-4200 RPM, Work Lite, 1 Shot Lube
- **Bridgeport J-Head Vert. Miller**, S/N 239834, 9" x 42" Table, Chrome Ways, 1 H.P., 230/460/3, 1 Shot Lube, 2 Work Lites
- **Bridgeport J-Head Vert. Miller**, S/N 91218, 9" x 36" Table, #150 Servo Power Feed, Chrome Ways, 2 Work Lites, Teledyne Gurley Pathfinder 50, 2 Axis Dig. Readout
- **Supermax #YC-1 1/2 VS Vert. Miller**, 9" x 42" Table, Spdl. Speeds: 60-4200 RPM, Chrome Ways, Work Lite, 2 H.P., 220/440/3/60 w/ Mitutoyo ADS-2, 2 Axis DRO

### PRESSES

- **Bliss 60 Ton Air Clutch Obi Press**, S/N H39549, 3" Stroke, 30" x 19 1/2" Bed, 2 Bolster Plates, 2" x 2 1/2" Dual Counter Balances w/ Stand Alone Control Console, Gordon Proxagard Safety, Auto. Lube, 7.5 H.P. Vari-Sp. Motor
- **Perkins 45 Ton Obi Press**, #550-B, 3" Stroke, 16" S.D.A.U. to Bed, A/C Motor & Controls
- **Manville Arch Frame Power Press**, A/C Motor & Controls w/ Feed
- **5 Ton DbL Action Obi Press** w/ Parts Feeder
- **Denison 15 Ton Hyd. C-Frame Press**, 15 H.P.
- **Rouselle 5 Ton #1A Obi Press**, Jog/Run Controls, S/N BA8333, 1/2 H.P., 220V
- **#3 Greenard Arbor Press** • **#2 Greenard Arbor Press**
- **Air Hydraulics C-400 Hyd. 4 Ton Press**, M/N C400, S/N 4120

### HEAD LABELING & PACKING MACHINES

- (2) **Bodolay/Pratt C-50 Head Label & Packing Machines**, M/N C50HL, S/N 640; S/N 639, 440V, 1 Ph., w/ Whizlifter Packager & Golden Eagle, Scale, Hopper, Feed & Drain Unit w/ Micro Scan, Solid State Controls, w/ Ass't. Scales & Conveyors
- **Bodolay/Pratt Head Labeler w/ Conveyors**, M/N C50HL, S/N 641, 440/1/60V
- **Bodolay/Pratt Head Labeler #C-50 w/ Conveyor**, S/N 653, 440/1/60V
- **Arpac 1512-50 Shrink Wrapper w/ Conveyors**, S/N 1471, 100°-600° F, 208/3/60V
- (4) **Durable Packaging Heat Sealers**, #RM-32, S/N 112583; #RM-42, S/N 022784; #RM-34, S/N 029884; #RM-32, S/N 022984

### PLANT SUPPORT EQUIPMENT

- (2) **U.S. Tool 48" Dia.**, 2000# Motorized Horiz. Payoffs
- **U.S. Baird 48" Dia.**, 2000# Motorized Horiz. Payoff
- (2) **Rotarian Horiz.** 500# Motorized Payoffs, 36" Dia.
- (2) **Coilmate PressPal 36" Dia.**, Motorized, 3500# Payoffs
- Dbl. End 1000# ea. End Non-Motorized Payoff
- Horiz. Light Duty Manual Reel • 40" Dia. Horiz. 500# Payoff Reel
- **Jaco JVRE-510-10** Motorized Vert. Payoff Reel • (2) Hi-Speed Key Weigh Programmable Units • **Harshaw Elec. Spin Dryer**
- **Torit #75 Dust Collector** • **Cincinnati Dust Collector**
- **Pennsylvania Floor Scale** w/ DRO • **Toledo Dig. Bench Scale**
- **Accu. Count & Weigh Scale** • Large Asst. Vibratory Bowls, All Sizes 25+ • **Large Qty. H.D. Metal Pallet Racking**: Light Duty Racking; 2D Stor. Cabinets; Bench Weigh Scales; Tape Shooters; Fireproof Cabinet & Containers; Benches; Sprayliner; H.D. Tote Bins; Portable Carts; Various Size Scrap Hoppers & Conveyors; Hercules Dumpers; Lifts; Floor Mats; Overhead Lights; Oilers; Pneu. Cylinders; Die Carts; Motors; Seals; Valves; ARO Lead Screw Tappers; Arrow 3516 Compressor Dryer; Bodine Special Mach. Frame (New)
- Approx. 100+ Press Dies
- **Lucifer HDL-8012-2 Furnace**, 2300° F
- **Leeds Northrup Homo Furnace**, 1400° F w/ Pots & Controls
- **Federal BAP-38**, 15 KVA Spot Welder, Air Press Type, 220V
- (4) **Mistpac** Air Flow Systems, 115V
- Cement Barrel Type Tumbler, Vari-Drive
- Ass't Electric Riding & Walk-Behind Forklifts

- **NEW- Metal & Wood Screws, Over 1,000,000 Pieces, Various Sizes** • **New Anchor Belts**

### MACHINE TOOL ACCESSORIES

- **Kurt & Bridgeport Milling Vises** • R-8, 5C Hardinge Collets
- Lathe Chucks • Collet Closers • Collet Trays • Drill Chucks
- 6K Collects • B&S #22 Collets • Hardinge #10, 15, 21, 22 Collets
- Troyke 12" Rotary Table • Cincinnati Dividing Head
- Gd Qty. Feed Finger • Geometric Die Head Dies • Bench Vises
- Hardinge Bronze Bushing Pads • Gd Qty. Drills
- 5/8 & 1" Shank Turret Tooling • Milford Rivet Tooling
- Hardinge Compound • Tool Posts • V-Belts • Chuck Keys
- Flat Belts • Strapping Tools • Screw Machine Cams & Access.
- Many More Items too Numerous to Mention
- Many of the Above Items New

### WASHER-DRYER

- (6) **Jensen Jen-Fab #10186 S.S. Rotary Drum Parts Washers** w/ Exhaust & Temp. Controls
- **Jensen Jen-Fab 3-Stage Washer/Dryer**, Water Sys., Auto./Man, M/N 9387, 230V, w/ Panelmate LED Control

## LATHES



SOUTHBEND #400



HARDINGE HLV-H



HARDINGE SECONDARY LATHES



PARKER MAJESTIC 6" x 18"



REID 6" x 18"

## SURFACE GRINDERS

Visit our Website @ [www.posnik.com](http://www.posnik.com)

# Aaron Posnik

AUCTIONEERS • APPRAISERS

Aaron Posnik & Co., Inc.  
83 State Street • Springfield, MA 01103  
(413) 733-5238 (Fax) 731-5946

MA Auc. Lic. #161 • Est. 1932 • PA Auc. Lic. #AU-0038-R

Aaron Posnik & Co., Inc.  
5 Great Valley Parkway, Suite 244 • Malvern, (Philadelphia) PA 19003  
(610) 853-6655 (Fax) 583-6633

# PUBLIC AUCTION

## METAL FORMING COMPONENT MFG.

- WIRE FORMING MACHINERY •
- THREAD ROLLERS • SCREW SLOTTERS • HEADERS •
- EDM MACHINES • SCREW MACHINES • SHAVERS •
- GRINDERS • MILLERS • LATHES • SAWS • PRESSES •
- HEAD LABELING & PACKAGING MACHINES •
- COMPARATORS • TOOLING • PLANT SUPPORT EQUIPMENT •

ASSETS NO LONGER REQUIRED IN THE CONTINUING OPERATIONS OF



IDEAL PRODUCTS, INC.  
158 PINES BRIDGE ROAD  
BEACON FALLS, CONNECTICUT

TO BE SOLD ON THE PREMISES AND BY LIVE INTERNET BIDDING  
**THURSDAY, APRIL 27<sup>TH</sup> AT 10:30 A.M.**

**TERMS OF SALE:** 25% DEPOSIT CASH OR CERTIFIED CHECK  
10% BUYERS PREMIUM APPLIES ON ALL ONSITE PURCHASES  
13% BUYERS PREMIUM APPLIES ON ALL INTERNET PURCHASES  
OTHER TERMS TO BE ANNOUNCED AT TIME OF SALE

**INSPECTION:** WEDNESDAY, APRIL 26<sup>TH</sup> - 10:00 A.M. TO 4:00 P.M.  
& MORNING OF SALE - 8:30 A.M TO 10:30 A.M.

### Aaron Posnik

AUCTIONEERS • APPRAISERS

MA Auc. Lic. #161  
Est. 1932  
PA Auc. Lic. #AU-0038-R

Visit our Website @ [www.posnik.com](http://www.posnik.com)

Aaron Posnik & Co., Inc.  
83 State Street • Springfield, MA 01103  
(413) 733-5238 (Fax) 731-5946

Aaron Posnik & Co., Inc.  
5 Great Valley Parkway, Suite 244 • Malvern, (Philadelphia) PA 19003  
(610) 853-6655 (Fax) 583-6633

Aaron Posnik & Co., Inc.  
83 State Street  
Springfield, MA 01103

Presorted  
First Class Mail  
U.S. POSTAGE  
PAID  
Permit No. 12  
Springfield, MA

RETURN SERVICE REQUESTED

**LIVE ONSITE & LIVE INTERNET BIDDING  
AVAILABLE AT [WWW.POSNIKLIVE.COM](http://WWW.POSNIKLIVE.COM)**

# THURSDAY, APRIL 27<sup>TH</sup> AT 10:30 A.M. BEACON FALLS, CONNECTICUT



OMCG THREAD & BENDING MACHINE

**LIVE ONSITE & LIVE INTERNET BIDDING  
AVAILABLE AT [WWW.POSNIKLIVE.COM](http://WWW.POSNIKLIVE.COM)**

**BID FROM THE COMFORT OF YOUR OFFICE!!!**

If you can't personally attend the auction sale, you don't have to miss out on the bidding. You can bid on the equipment in the following ways:

- **LIVE PHONE BID** - Call us by APRIL 26<sup>TH</sup> to set up details\*
- **INTERNET BID** - Visit our website [www.posniklive.com](http://www.posniklive.com) to register online\*
- **PROXY BID** - Call us and we'll be happy to send you a proxy bid form. Fill it out, Fax it back and we'll bid on your item for you.\*

**\*We must receive a 25% deposit of all proxy and phone bids before the auction to secure your bid.  
No credit cards.**

**10% BUYERS PREMIUM APPLIES ON ALL ONSITE PURCHASES  
13% BUYERS PREMIUM APPLIES ON ALL INTERNET PURCHASES**

Visit our Website @ [www.posnik.com](http://www.posnik.com)

### Aaron Posnik

AUCTIONEERS • APPRAISERS

Aaron Posnik & Co., Inc.  
83 State Street • Springfield, MA 01103  
(413) 733-5238 (Fax) 731-5946

MA Auc. Lic. #161 • Est. 1932 • PA Auc. Lic. #AU-0038-R

Aaron Posnik & Co., Inc.  
5 Great Valley Parkway, Suite 244 • Malvern, (Philadelphia) PA 19003  
(610) 853-6655 (Fax) 583-6633